


☆: Recommendation products
 AEC-Q200 : AEC-Q200 compliant. Please contact your local Chemi-Con office for more details, test data, information and also non indicated products.

CONDUCTIVE POLYMER ALUMINUM SOLID CAPACITORS

Digitalization Super Low ESR


RESIN-MOLDED SURFACE MOUNT TYPE

Resin-Molded Type




SURFACE MOUNT TYPE

Surface Mount Type



RADIAL LEAD TYPE

Radial Lead Type




CONDUCTIVE POLYMER HYBRID ALUMINUM ELECTROLYTIC CAPACITORS

Digitalization Super Low ESR Automotive Application


SURFACE MOUNT TYPE

Surface Mount Type



RADIAL LEAD TYPE


Radial Lead Type




ALUMINUM ELECTROLYTIC CAPACITORS

SURFACE MOUNT TYPE (CE32)

Digitalization




Product specifications in this catalog are subject to change without notice. Request our product specifications before purchase and/or use. Please use our products based on the information contained in this catalog and product specifications.

 : AEC-Q200 compliant. Please contact your local Chemi-Con office for more details, test data, information and also non indicated products. ☆: Recommendation products


ALUMINUM ELECTROLYTIC CAPACITORS

RADIAL LEAD TYPE



ALUMINUM ELECTROLYTIC CAPACITORS

■ SNAP-IN TYPE



Please contact us for AEC-Q200 compliant of Snap-in type.

■ SCREW-MOUNT TYPE

